Category	Model No.		MSRP
Express Appliances Express Appliances	RCX-16 RCX-32	RedCloud Express – Web-Based PACS Appliance for 16 Readers - includes: physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Securit RedCloud Express – Web-Based PACS Appliance for 32 Readers - includes: physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Securit	
Express Appliances	726A1120600E	Rack Mount Kit for RedCloud Express - for mounting as a 1U device in a standard equipment rack	\$ 5.
Express Software Options	N/A	RedCloud Security Management Software - Browser "Client" Licenses are included in the price of any RedCloud System. RedCloud recommends Firefox Mozil	\$
Express Software Options	RC-SO- SQL		\$ 2
Express Software Options	RC-SO-LDAP		\$ 3 \$ 1
Express Software Options Express Software Options	RC-SO-CMD RC-SO-XML		\$ 1
Express Software Options	RC-SO-REST		\$ 1
Express Software Options	RC-SO-SNMP		\$ 3
Express Software Options	RC-SO-16RCU		\$ 1
Express Software Options	RC-SO-B		\$ 1
Express Software Options Express Software Options	RC-SO-EQ4-RCX RC-SO-P4-RCX		\$
Express Software Options	RC-SO-A4-RCX		\$
Express Software Options	RC-SO-REP-RCX		\$ 2
Express SUSP	RCX-16-SUSP		\$
Express SUSP	RCX-32-SUSP		\$
Enterprise Appliances	RCE-32	RedCloud Enterprise – Web-Based PACS Appliance for 32 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Sec	
Enterprise Appliances Enterprise Appliances	RCE- 64 RCE-128	RedCloud Enterprise – Web-Based PACS Appliance for 64 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Sec RedCloud Enterprise – Web-Based PACS Appliance for 128 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Sec	
Enterprise Appliances	RCE-256	RedCloud Enterprise – Web-Based PACS Appliance for 256 Readers - includes:   Jhysical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Se	
Enterprise Appliances	RCE-512	RedCloud Enterprise – Web-Based PACS Appliance for 512 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Se	
Enterprise Appliances	RCE-1024	RedCloud Enterprise – Web-Based PACS Appliance for 1,024 Readers - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud :	
Enterprise Software Options	N/A	RedCloud Security Management Software - Browser "Client" Licenses are included in the price of any RedCloud System. RedCloud recommends Firefox Mozil	
Enterprise Software Options Enterprise Software Options	RC-SO- SQL RC-SO-ORCL		\$ 2 \$ 4
Enterprise Software Options	RC-SO-LDAP		\$ 3
Enterprise Software Options	RC-SO-CMD		\$ 1
Enterprise Software Options	RC-SO-XML	XML Events Connectivity Software License	\$ 1
Enterprise Software Options	RC-SO-REST		\$ 1
Enterprise Software Options	RC-SO-ARC		\$ 4 \$ 3
Enterprise Software Options Enterprise Software Options	RC-SO-SNMP RC-SO-16RCU		\$ 3 \$ 1
Enterprise Software Options	RC-SO-B		\$ 1
Enterprise Software Options	RC-SO-EQ16	License for 16 Video Channels from Exacq (per Appliance)	\$
Enterprise Software Options	RC-SO-P16	License for 16 Video Channels from Pelco (per Appliance)	\$
Enterprise Software Options	RC-SO-A16		\$
Enterprise Software Options Enterprise Software Options	RC-SO-REP RC-SO-AF		\$ 4
Enterprise Software Options Enterprise Software Options	RC-SO-AF RC-SO-PART		\$ 5
Enterprise SUSP	RCE-32-SUSP		\$
Enterprise SUSP	RCE-64-SUSP		\$ 1
Enterprise SUSP	RCE-128-SUSP		\$ 2
Enterprise SUSP	RCE-256-SUSP		\$ 4
Enterprise SUSP	RCE-512-SUSP RCE-1024-SUSP		\$ 6 \$ 12
Enterprise SUSP Virtual-Perpetual-Appliances	RCV-P-32	Annual Application Software Upgrade and Support Plan for RedCloud Enterprise System for 1024 Readers (RCE-1024) RedCloud Virtual - Web-Based PACS Appliance for 32 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Software Country   RedCloud Security   Re	
Virtual-Perpetual-Appliances	RCV-P-64	RedCloud Virtual -Web-Based PACS Appliance for 64 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Softwa	
Virtual-Perpetual-Appliances	RCV-P-128	RedCloud Virtual - Web-Based PACS Appliance for 128 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Softw	
Virtual-Perpetual-Appliances	RCV-P-256	RedCloud Virtual - Web-Based PACS Appliance for 256 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Softv	
Virtual-Perpetual-Appliances	RCV-P-512	RedCloud Virtual - Web-Based PACS Appliance for 512 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Softw	
Virtual-Perpetual-Appliances Virtual-Perpetual Software Options	RCV-P-1024 N/A	RedCloud Virtual - Web-Based PACS Appliance for 512 Readers - includes: embedded Linux OS & Open LDAP licenses   RedCloud Security Management Software - Browser "Client" Licenses are included in the price of any RedCloud System. RedCloud recommends Firefox Mozil	
Virtual-Perpetual-Software Options	RC-SO- SQL		\$ 2
Virtual-Perpetual-Software Options	RC-SO-ORCL		\$ 4
Virtual-Perpetual-Software Options	RC-SO-LDAP	LDAP Directory Connectivity Software License (required for integration with Microsoft Active Directory or other directory products)	\$ 3
Virtual-Perpetual-Software Options	RC-SO-CMD		\$ 1
Virtual-Perpetual-Software Options	RC-SO-XML	·	\$ 1
Virtual-Perpetual-Software Options Virtual-Perpetual-Software Options	RC-SO-REST RC-SO-ARC		\$ 1 \$ 4
Virtual-Perpetual-Software Options	RC-SO-SNMP		\$ 3
Virtual-Perpetual-Software Options	RC-SO-16RCU		\$ 1
Virtual-Perpetual-Software Options	RC-SO-B		\$ 1
Virtual-Perpetual-Software Options	RC-SO-EQ16		\$
Virtual-Perpetual-Software Options	RC-SO-P16		\$
Virtual-Perpetual-Software Options Virtual-Perpetual-Software Options	RC-SO-A16 RC-SO-REP		\$ \$ 4
Virtual-Perpetual-Software Options	RC-SO-AF		\$ 6
Virtual-Perpetual-Software Options	RC-SO-PART		\$ 5
Virtual-Perpetual-SUSP	RCV-P-32-SUSP	Annual Application Software Upgrade and Support Plan for RedCloud Virtual Web-Based PACS Appliance for 32 Doors (RCV-P-32)	\$
Virtual-Perpetual-SUSP	RCV-P-64-SUSP		\$ 1
Virtual-Perpetual-SUSP	RCV-P-128-SUSP		\$ 2
Virtual-Perpetual-SUSP	RCV-P-256-SUSP		\$ 3
Virtual-Perpetual-SUSP Virtual-Perpetual-SUSP	RCV-P-512-SUSP RCV-P-1024-SUSP		\$ 6 \$ 12
Virtual-Subscription-Appliances	RCV-S-32	RedCloud Virtual - Web-Based PACS Appliance for 32 Readers - Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses	
Virtual-Subscription-Appliances	RCV-S-64	RedCloud Virtual - Web-Based PACS Appliance for 64 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses	\$ 4
Virtual-Subscription-Appliances	RCV-S-128	RedCloud Virtual - Web-Based PACS Appliance for 128 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses	
Virtual-Subscription-Appliances	RCV-S-256	RedCloud Virtual - Web-Based PACS Appliance for 256 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses RedCloud Virtual - Web-Based PACS Appliance for 513 Readers - Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses (Subscription Software License) - includes: embedded Linux OS & Open LDAP licenses (Subscription Software License) - includes: embedded Linux OS & Open LDAP licenses	
Virtual-Subscription-Appliances Virtual-Subscription-Appliances	RCV-S-512 RCV-S-1024	RedCloud Virtual - Web-Based PACS Appliance for 512 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses RedCloud Virtual - Web-Based PACS Appliance for 1024 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses	
Virtual-Subscription-Appliances Virtual-Subscription-Software Options	N/A	RedCloud Virtual - Web-Based PACS Appliance for 1024 Readers – Annual Subscription Software License - includes: embedded Linux OS & Open LDAP licenses RedCloud Security Management Software - Browser "Client" Licenses are included in the price of any RedCloud System. RedCloud recommends Firefox Mozil	
Virtual-Subscription-Software Options	RCV-S-SO-SQL		\$
Virtual-Subscription-Software Options	RCV-S-SO-ORCL	Oracle Server Connectivity – Annual Subscription Software License (from Oracle DB 9i forward)	\$ 1
Virtual-Subscription-Software Options	RCV-S-SO-LDAP	LDAP Directory Connectivity – Annual Subscription Software License (required for integration with Microsoft Active Directory or other directory products)	\$ 1
Virtual-Subscription-Software Options	RCV-S-SO-CMD		\$
Virtual-Subscription-Software Options Virtual-Subscription-Software Options	RCV-S-SO-XML		\$
Virtual-Subscription-Software Options Virtual-Subscription-Software Options	RCV-S-SO-REST RCV-S-SO-ARC		\$ \$ 1
Virtual-Subscription-Software Options Virtual-Subscription-Software Options	RCV-S-SO-SNMP		\$ 1
Virtual-Subscription-Software Options	RCV-S-SO-16RCU		\$
Virtual-Subscription-Software Options	RCV-S-SO-B	Badging Application – Annual Subscription Software License (one per Appliance)	\$
Virtual-Subscription-Software Options	RCV-S-SO-EQ16		\$
Virtual-Subscription-Software Options	RCV-S-SO-P16		\$
Virtual-Subscription-Software Options	RCV-S-SO-A16		\$ \$ 1
Virtual-Subscription-Software Options Virtual-Subscription-Software Options	RCV-S-SO-REP RCV-S-SO-AF		\$ 1 \$ 2
Subscription Softwale Options	RCV-S-SO-PART	not statituty - Auto railover - Autorita subscription Software License for more than 5 partitioning - Annual Subscription Software License for more than 5 partitioning per RCE or RCV-P Appliance) (not approved for use in a central station or manifold).	
Virtual-Subscription-Software Ontions	RC-PS-H		\$ 1
Virtual-Subscription-Software Options Professional Services	RC-PS-D	Daily Rate - Qualified RedCloud Dedicated Technician Service	\$ 3
	NC-F3-D		N/A
Professional Services Professional Services VAR Training	RC-T-GEN-VAR		
Professional Services Professional Services VAR Training VAR Training	RC-T-GEN-VAR RC-T-ADV-VAR		N/A
Professional Services Professional Services VAR Training VAR Training User Training	RC-T-GEN-VAR RC-T-ADV-VAR RC-T-GEN-EU	General Training for the RedCloud Security Management Software	\$ 2
Professional Services Professional Services VAR Training VAR Training User Training User Training	RC-T-GEN-VAR RC-T-ADV-VAR RC-T-GEN-EU RC-T-ADV-EU	General Training for the RedCloud Security Management Software Advanced Training for Collaborative Platform Software Options & Security Application Software Options	\$ 2 \$ 2
Professional Services Professional Services VAR Training VAR Training User Training User Training Extended Appliance Warranty	RC-T-GEN-VAR RC-T-ADV-VAR RC-T-GEN-EU RC-T-ADV-EU RCX-EW-1	General Training for the RedCloud Security Management Software Advanced Training for Collaborative Platform Software Options & Security Application Software Options RedCloud Express – extended appliance hardware warranty for three (3) additional years purchased at time of original PO.	\$ 2 \$ 2 \$ 1
Professional Services Professional Services VAR Training VAR Training User Training User Training	RC-T-GEN-VAR RC-T-ADV-VAR RC-T-GEN-EU RC-T-ADV-EU	General Training for the RedCloud Security Management Software Advanced Training for Collaborative Platform Software Options & Security Application Software Options RedCloud Express – extended appliance hardware warranty for three (3) additional years purchased at time of original PO. RedCloud Express – extended appliance hardware warranty for three (3) additional years purchased prior to two year warranty expiration.	\$ 2 \$ 2

Demo Units Demo Units	RCX-D RCE-D	RedCloud Express — Web-Based PACS Appliance — Demo Unit - includes: physical appliance   embedded Linux OS & Open LDAP licenses   RedCloud Security   N RedCloud Enterprise — Web-Based PACS Appliance - Demonstration Unit - includes:   physical appliance   embedded Linux OS & Open LDAP licenses   RedClo N	
Demo Units	RC-HW-D	Assembly: EP1501/HID R10 N	/A
RedCloud SW for Codebench	RC-SO-CB-CM	RedCloud – Codebench PIVCheck Certificate Manager Software Integration License (1 required per instance of PIVCheck Certificate Manager) \$	
RedCloud SW for Codebench Mercury	RC-SO-CB-PVCP-DM EP2500	RedCloud – Codebench PIVCheck Plus Desktop or Mobile Edition Software Integration License (per instance of PIVCheck Plus Desktop or Mobile Edition Softw \$ Controller, 32MB RAM, Ethernet \$	6,800 2,060
Mercury	EP1501	Controller, Single Door, 16MB RAM, w/PoE, 2In/2Out/2Rdr \$	
Mercury	EP1502	Controller, 16MB RAM, Ethernet, 8In/4Out/2Rdr S	-,
Mercury Mercury	MR50 MR52	Reader Interface Module - (1 reader: mag or wiegand, 2 inputs, 2 relays) \$ 2-Reader Interface Module - (2 reader: mag or wiegand, 8 inputs, 6 relays) \$	
Mercury	MR51e	Single Door Interface Module w/PoE - (2 reader: mag/wiegand, 4 inputs, 2 relays)  \$\$\$	
Mercury	MR16in	16 Zone Input Monitor Module (with 2 relays) \$	
Mercury Mercury	MR16out MUX4iso	16 Relay Output Control Module \$ RS-232/485 TO 4 RS-485 Isolated Mux \$	
Mercury	MUX8	RS-232/485 to 8 RS-485 Channel Mux \$	
Mercury	TK2D-12	Snaptrack Card Mounting Extrusion, 12" – for mounting MR50 modules \$	
Mercury Mercury	A-TERM5-3 A-TERM5-4	Replace 3-Position Terminal Blocks, 10-pack \$ Replace 4-Position Terminal Blocks, 10-pack \$ \$	
Mercury	A-TERM5-5	Replace 5-Position Terminal Blocks, 10-pack \$	
Mercury	A-TERM5-6	Replace 6-Position Terminal Blocks, 10-pack \$	60
Mercury Mercury	A-TC-MR50 RES-1K32	CABLE FOR MR-50 TAMPER \$ AXIAL LEADED 1K1%1/4W RESISTORS, 32-pack \$	
Mercury	A-BAT23MM	LITHIUM COIN CELLS BR/CR2325, 20-pack \$	
Mercury	HW-RM-UC	Upgrade chip for Honeywell field reader interface boards (PW-5000 series only   PW-6000 series boards are not supported)	
ASSA ASSA	AH30R11 APD-10-USB	ASSA ABLOY -Mercury Aperio Hub 1:1 \$ ASSA ABLOY - USB Radio Dongle \$	350 450
HID Global iClass	6100CKN0000	iCLASS R10 Read Only Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. wiegand output, black, pigtail connector, mullion mount size  \$ 1.0. **Technologies**: The property of the	141
HID Global iClass	6120CKN0000	iCLASS R40 Read Only Contactless Smart Card Reader, iCLASS & FIPS201 Technologies. wiegand output, black, pigtail connector, US back box size	275
HID Global iClass HID Global iClass	6130CKN0000-00 2080PMSMV	iCLASS RK40 Read Only Contactless Smart Card Keypad Reader, iCLASS & FIPS201 Technologies. wiegand output, black, pigtail connector, US back box size \$ iCLASS Clamshell Contactless Smart Card, 2k bit with 2 application areas - iCLASS Programmed, plain white vinyl w/ matte finish, base with molded HID logo, \$	505 3.30
HID Global iClass	2000PGGMN	icLASS Contactless Smart Card, 2k bit with 2 application areas - iCLASS Programmed, plain white vinyl w/ matte finish, base with molded HID logo, sequential \$	
HID Global iClass	2002PGGMN	iCLASS Contactless Smart Card, 16k bit with 16 application areas - iCLASS Programmed, plain white vinyl w/ matte finish, base with molded HID logo, sequent \$	
HID Global iClass	2004PGGMN	iCLASS Contactless Smart Card, 32k bit with16k/16 + 16k/1 application areas - iCLASS Programmed, plain white vinyl w/ matte finish, base with molded HID Ic \$	
HID Global iClass HID Global iClass SE	2050PKNMN 900NTNNAK00000	iCLASS Key II Contactless Smart Key 2k bit with 2 application areas - iCLASS Programmed, plain white vinyl w/ matte finish, base with molded HID logo, seque \$ iCLASS SE R10 Contactless Smart Card Reader, Mini-Mullion, No Prox - wiegand communication, pigtail connector, black \$	
HID Global iClass SE	920NTNNAK00000	iCLASS SE R40 Contactless Smart Card Reader, Wall Switch, No Prox - wiegand communication, pigtail connector, black \$	315
HID Global iClass SE	921NTNNAK00000	iCLASS SE RK40 Contactless Smart Card Keypad Reader, Wall Switch, No Prox wiegand communication, pigtail connector, black    CLASS SE RR40 Contactless Smart Card Reader, Wall Switch, No Prox wiegand communication, pigtail connector, black   CLASS SE RR40 Contactless Smart Card Reader, Wall Switch, No Prox wiegand communication, pigtail connector, black   CLASS SE RR40 Contactless Smart Card Reader, Wall Switch, No Prox wiegand communication, pigtail connector, black   CLASS SE RR40 Contactless Smart Card Report Reader, Wall Switch, No Prox wiegand communication, pigtail connector, black   CLASS SE RR40 Contactless Smart Card Report	
HID Global iClass SE HID Global iClass SE	900PTNNAK00000 920PTNNAK00000	iCLASS SE RP10 Contactless Smart Card Reader, Mini-Mullion, All Prox (Std) - wiegand communication, pigtail connector, black iCLASS SE RP40 Contactless Smart Card Reader, Wall Switch, All Prox (Std) - wiegand communication, pigtail connector, black \$	
HID Global iClass SE	921PTNNAK00000	iCLASS SE RPK40 Contactless Smart Card Keypad Reader, Wall Switch, All Prox (Std) - wiegand communication, pigtail connector, black \$	585
HID Global iClass SE	2080HPMSMV	iCLASS SR (note: SR instead of SE is correct for this card) Clamshell Contactless Smart Card, 2k bit with 2 application areas - iCLASS + SIO Programmed, plain v \$	
HID Global iClass SE HID Global iClass SE	3000PGGMN 3002PGGMN	iCLASS SE Contactless Smart Card, 2k bit with 2 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interna \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interns \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interns \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interns \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interns \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential matching interns \$ iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smart Card, 16k bit with 16 application areas - iCLASS SE Contactless Smar	
HID Global iClass SE	3004PGGMN	iCLASS SE Contactless Smart Card, 32k bit with 16k/16 + 16k/1 application areas - iCLASS + SIO Programmed, plain white gloss finish front/back, sequential m 5	
Ingersoll Rand	PR10	XceedID - 125 kHz Proximity - Mini Mullion Reader \$	135
Ingersoll Rand	SM10 MT11	aptiQ 13.56 MHz Smart - Mini Mullion Reader \$ aptiQ Multi-Technology – Mullion Reader \$	
Ingersoll Rand Ingersoll Rand	MT15	aptic Multi-Technology - Single Gang Reader \$	
Ingersoll Rand	MTK15	aptiQ Multi-Technology Keypad - Single Gang Reader \$	450
Ingersoll Rand	XF8420	aptiQ Smart Card 2K byte/16k bit Clamshell \$ aptiQ Smart Card 4K byte/32k bit Clamshell \$	
Ingersoll Rand Ingersoll Rand	XF8440 XF8480	aptiQ Smart Card 4K byte/32k bit Clamshell \$ aptiQ Smart Card 8K byte/64k bit Clamshell \$ \$	
Ingersoll Rand	XF8520	aptiQ Smart Card 2K byte/16k bit ISO Glossy White \$	6.80
Ingersoll Rand	XF8540	aptiQ Smart Card 4K byte/32k bit ISO Glossy White \$ antiO Smart Card 8K byte/64k bit ISO Glossy White \$	
Ingersoll Rand Ingersoll Rand	XF8580 XF8520M1	aptiQ Smart Card 8K byte/64k bit ISO Glossy White \$ aptiQ Smart Card 2K byte/16k bit with Magnetic Stripe ISO Glossy White \$	
Ingersoll Rand	XF8540M1	aptiQ Smart Card 4K byte/32k bit with Magnetic Stripe ISO Glossy White	
Ingersoll Rand	XF8580M1	aptiQ Smart Card 8K byte/64k bit with Magnetic Stripe ISO Glossy White	
Ingersoll Rand Ingersoll Rand	XF8720 XF8740	aptiQ Smart Card 2K byte/16k bit PVC Patch \$ aptiQ Smart Card 4K byte/32k bit PVC Patch \$	
Ingersoll Rand	XF8780	aptiQ Smart Card 8K byte/64k bit PVC Patch \$	
Ingersoll Rand	XF8920	Proximity and aptiQ Smart Card Combo 2K byte/16k bit ISO Glossy White	
Ingersoll Rand Ingersoll Rand	XF8940 XF8980	Proximity and aptiQ Smart Card Combo 4K byte/32k bit ISO Glossy White \$ Proximity and aptiQ Smart Card Combo 8K byte/64k bit ISO Glossy White \$	
Ingersoll Rand	XF9420	MIFARE Smart Card 2.5k bit Clamshell \$	
Ingersoll Rand	XF9520	MIFARE Smart Card 2.5 k bit ISO Glossy White	
Ingersoll Rand	XF9520MS XF9551	MIFARE Smart Card 2.5 k bit with magnetic stripe ISO Glossy White \$ MIFARE Contactless Smart Card 1k byte/8k bit ISO Glossy White \$	
Ingersoll Rand	XF9551MS	MIFARE Contactless ISO Glossy Smart Card 1k byte/8k bit & mag stripe \$	
Ingersoll Rand	XF9558	MIFARE Contactless Smart Card 4k byte/32k bit ISO Glossy White	
Ingersoll Rand Ingersoll Rand	XF9558MS XF9651	MIFARE Contactless ISO Glossy Smart Card 4k byte/32k bit and mag stripe \$ MIFARE Smart 1k bit (minimum order is 50) Keytag \$	8.72 6.55
Ingersoll Rand	XF9751	MIFARE Smart Cards 1k byte/8k bit PVC Patch \$	6.00
Ingersoll Rand	XF9758	MIFARE Smart Cards 4k byte/32k bit PVC Patch \$	
Ingersoll Rand Ingersoll Rand	XF9951 XF9958	Proximity and Contactless Smart Card Combo ISO Glossy White 1k byte/8k bit Card \$ Proximity and Contactless Smart Card Combo ISO Glossy White 4k byte/32k bit \$	7.85 9.45
Ingersoll Rand	XF7410	Proximity Card Clamshell \$	3.25
Ingersoll Rand	XF7510	Proximity Card ISO Glossy White \$	
Ingersoll Rand Ingersoll Rand	XF7510MS XF7610	Proximity and Magnetic Stripe Card ISO Glossy White \$ Proximity Keyfob (minimum order is 50) \$	
Ingersoll Rand	XF7710	Proximity Sticky Disk (35 mm Disk) (minimum order is 50) \$	5.20
Farpointe Data Pyramid	PSC-1-H	PSC-1 Standard Light Proximity Card - Clamshell style proximity card backed by a lifetime warranty.	
Farpointe Data Pyramid Farpointe Data Pyramid	PSM-2P-H PSM-2S-H	PSM-2P Multi Technology Proximity Card - ISO-style multi technology proximity card appropriate for dye sublimation imaging.  SpSM-2S Multi Technology Proximity Card - ISO-style multi technology style proximity card appropriate for dye sublimation imaging with a magnetic stripe.	5.00 5.50
Farpointe Data Pyramid	PSI-4-H	PSI-4 Image Technology Proximity Card - 150-scyle multi-technology scyle proximity card appropriate for dye sublimation imaging with a magnetic stripe.  \$ \$ PSI-4 Image Technology Proximity Card - Thicker-format (0.046 inches (1.17 mm)) proximity card appropriate for dye sublimation imaging.	2.70
Farpointe Data Pyramid	PSK-3-H	PSK-3 Proximity Key Ring Tag - Small proximity tag designed to be carried on a key ring, includes a re-enforcing brass eyelet, and is backed by a lifetime warra \$	5.90
Farpointe Data Pyramid Farpointe Data Pyramid	PDT-1-H P-300-H	Model PDT-1 Proximity Disc Tag - Has an adhesive on one side that allows for the prox-enabling of a variety of non RFID devices, including ID credentials, cell \$ P-300 Cascade Proximity Reader - Designed to be mounted to metal door and window frames. \$	
Farpointe Data Pyramid	P-500-H	P-500 Alps Proximity Reader - Designed to be mounted to a standard North American single-gang wall switch box. \$	
Farpointe Data Pyramid	P-640-H	P-640 Patagonia Proximity Reader and Keypad - Designed to be mounted directly to standard North American sized single-gang wall box, and integrates both \$	396
Farpointe Data Pyramid Farpointe Data Pyramid	P-710-H P-900-H	P-710 Andes Proximity Reader - Intended for applications calling for heightened levels of convenience, such as parking lots and high-volume employee entrar \$ P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mil \$	
Farpointe Data Pyramid Farpointe Data Delta	DC1-1	P-900 Proximity Reader - A high performance design, it is classified as a long range reader, and is capable of delivering read ranges of up to 20-inches (508 mil 5 DC1-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 1K-byte memory. Constructed of durab \$	
Farpointe Data Delta	DC4-1	DC4-1 Delta Clamshell Contactless Smartcard - ISO14443-compliant, clamshell-style contactless smartcard card with a 4K-byte memory. Constructed of durab \$	4.88
Farpointe Data Delta Farpointe Data Delta	DM1-3 DM4-3	DM1-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appro \$ DM4-3 Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appro \$	
Farpointe Data Delta	DM1-3S	DM1-3 Delta ISO Contactiess Sinaticard - ISO14443-compliant, contactiess smartcard card with a 1K-byte meniory. Manufactured from glossy PVC, it is appro 3 DM1-35 Delta ISO Contactless Smartcard - ISO14443-compliant, contactiess smartcard card with a 1K-byte memory. Manufactured from glossy PVC, it is appro 5	
Farpointe Data Delta	DM4-3S	DM4-3S Delta ISO Contactless Smartcard - ISO14443-compliant, contactless smartcard card with a 4K-byte memory. Manufactured from glossy PVC, it is appr. \$	6.20
Farpointe Data Delta	DK1-3	DK1-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 1K-byte memory. It is design \$	
Farpointe Data Delta Farpointe Data Delta	DK4-3 Delta3 Sector	DK4-3 Delta Keyfob Contactless Smartcard Credential - ISO14443-compliant key tag-style contactless smartcard credential with a 4K-byte memory. It is design \$ Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces. \$	
Farpointe Data Delta	Delta3 CSN	Delta3 Contactless Smartcard Reader - With a compact design the model Delta3 may be mounted to metal door or window frames, and other flat surfaces.	130
Farpointe Data Delta	Delta5 Sector	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and c \$	
Farpointe Data Delta Farpointe Data Delta	Delta5 CSN Delta5.3 Sector	Delta5 Contactless Smartcard Reader - With a thin profile the model Delta5 may be mounted to a standard North American single-gang wall switch box, and c \$ Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60   \$	
Farpointe Data Delta	Delta5.3 CSN	Delta5.3 Contactless Smartcard Reader - With distinctive contemporary styling the model Delta5.3 lends itself to mounting to a standard European-sized (60   \$	150
Farpointe Data Delta	Delta6.4 Sector	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang \ \$	
Farpointe Data Delta Farpointe Data Field Programmers	Delta6.4 CSN CoG-125	Delta6.4 Contactless Smartcard Reader and Keypad - The model Delta6.4 is designed to be mounted directly to a standard North American sized single-gang v \$ CoG 1000 Cards on the Go™ - 125-kHz only \$	
Farpointe Data Field Programmers	CoG-1356	CoG 1000 Cards on the Go™ - 13.56 MHz only \$	1,650
Farpointe Data Ranger	WRR-42	WRR-42 Ranger Receiver - Long range radio-type receiver, features a Transmitter receive range of up to 150-feet (46-m), and is ideal for applications involvin \$	416

Farpointe Data Ranger	WRT-2+H	WRT-2+ Ranger Two Button Long Range Transmitter - 2-button clicker-type access credential, featuring both long range (upon button push) and proximity op	Ś	30.00
Farpointe Data Ranger	WRT-4+H	WRT-4+ Ranger Four-Button Long Range Transmitter - 4-button clicker-type access credential, featuring both long range (upon button push) and proximity or		30.00
LifeSafety Power	FPO75-E2BP2	75W-12/24VDC PS, Backplate, Standoffs & E2 size cabinet kit: The FlexPower FPO75-E2BP2 is an offline switchmode 75 watt power supply-battery charger spi	\$	540
LifeSafety Power	FPO75-2E2BP2	One (1) 75W-12/24VDC PS, Backplate, Standoffs; & two (2) E2 size cabinets kit: The FlexPower FPO75-2E2BP2 is an offline switchmode 75 watt power supply-	\$	800
LifeSafety Power	FPO75-E1BP1	75W-12/24VDC PS, Backplate, Standoffs, & E1 size cabinet kit: The FlexPower FPO75-E1BP1 is an offline switchmode power supply-battery charger specifically	\$	446
LifeSafety Power	E2BP2	Backplate, Standoffs & E2 size cabinet kit: Size: 16" x 20" x 4.5", Weight: 13 lb.	\$	294
LifeSafety Power	E1BP1	Backplate, Standoffs & E1 size cabinet kit: Size: 12" x 14" x 4.5", Weight: 9 lb.	\$	224
LifeSafety Power	FPO150-2D8E4M1	150W-12/24VDC PS, Backplate, Standoffs, & E4M size cabinet kit: The FlexPower FPO150-2D8E4M1 is an offline switchmode power supply battery charger sy:	\$	910
EasyLobby HID	EL-96000-SVM10	SVM™ (main application) per workstation, includes Free Administrator™	\$	2,495
EasyLobby HID	EL-96300-ADM10	Administrator™ (additional licenses) per workstation	\$	495
EasyLobby HID	EL-98000-EADV10	eAdvance™ (web pre-registration) per web server	\$	2,995
EasyLobby HID	EL-96200-SAT	Satellite™ (check point station) per workstation	\$	995
EasyLobby HID	EL-SVM10-UPGRD	SVM software upgrade to SVM10	\$	2,000
EasyLobby HID	EL-EADV-UPGRD	eAdvance software upgrade to latest version	\$	2,500
EasyLobby HID	EL-ACI-UPGRD	Access control integration upgrade to latest version	\$	2,500
EasyLobby HID	EL-DYMO-450T	Dymo 450 Turbo Thermal Printer (B&W)	\$	195
EasyLobby HID	EL-DYMO-30856	DYMO 30856 non-adhesive badges (250)	\$	29.00
EasyLobby HID	EL-DYMO-30911	DYMO 30911 adhesive self-expiring badges (250)	\$	44.00
EasyLobby HID	EL-ACI-RDCLD	Access Control Integration - Red Cloud from EasyLobby -Must also purchase RedCloud - RC-SO-REST	\$	2,995